AUTHOR INDEX

PAGE

Abelló, P., Villanueva, R. and Gili, J.M.
Epibiosis in deep-sea crab populations as indicator of biological and behavioural characteristics of the host 687
Almada, V.C., Barata, E.N., Gonçalves, E.J. and Oliviera, R.F. de.
On the breeding season of *Lipophrys pholis* (Pisces: Blenniidae) at Arrábida, Portugal 913
Alvarez, J.A.
Membranipora arborescens (Bryozoa: Cheilostomidae): a new record in the Bay of Biscay ... 917
Anadón, R., *see* Arrontes and Anadón 283
Anstensrud, M.
Moulting and mating in *Lepeophtheirus pectoralis* (Copepoda: Caligidae) 269
Anwar, N.A., Richardson, C.A. and Seed, R.
Age determination, growth rate and population structure of the horse mussel *Modiolus modiolus* 441
Arnold, G.P., *see* Metcalfe *et al.* 149
Arrontes, J. and Anadón, R.
Distribution of intertidal isopods in relation to geographical changes in macroalgal cover in the Bay of Biscay 283
Arzul, G., *see* Gentien and Arzul 571
Barata, E.N., *see* Almada *et al.* 913
Bellan-Santini, D., *see* Dauvin and Bellan-Santini 887
Ben Mlih, F., *see* Claustre *et al.* 197
Beverley-Burton, M., *see* Kearn and Beverley-Burton 747
Biard, J.-F., Grivois, C., Verbist, J.-F., Debitus, C. and Carre, J.B.
Origin of bistramide A identified in *Lissoclinum bistratum* (Urochordata): possible involvement of symbiotic Prochlorophyta 741
Billett, D.S.M., *see* Tyler *et al.* 173
Blaxter, J.H.S. and Fuiman, L.A.
The role of the sensory systems of herring larvae in evading predatory fishes 413
Bourgoin, A. and Guillou, M.
Variations in the reproductive cycle of *Acrocnida brachiata* (Echinodermata: Ophiuroidea) according to environment in the Bay of Douarnenez (Brittany) 57
Boyle, P.R., *see* Pierce *et al.* 829
Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G.
Changes in lipids during simulated herbivorous feeding by the marine crustacean *Neomysis integer* 225
Dietary lipid changes during herbivory and coprophagy by the marine invertebrate *Nereis diversicolor* 771
Britton, W., *see* King *et al.* 343
Brown, B.E., *see* Harland *et al.* 789
Bryan, G.W.
See Gibbs *et al.* 639
See Harland *et al.* 789
Burt, G.R., *see* Gibbs *et al.* 639
Carre, J.B. see Biard *et al.* 741
Chapman, C.J., *see* Gaten *et al.* 343
Charpy, L. and Charpy-Roubaud, C.J.
A model of the relationship between light and primary production in an atoll lagoon 357
Charpy-Roubaud, C.J., *see* Charpy and Charpy-Roubaud 357

PAGE

Child, A.R., *see* Laing *et al.* 1
Clare, A.S., *see* Rittschof *et al.* 583
Clark, I., *see* Pierce *et al.* 829
Claustre, H., Poulet, S.A., Williams, R., Marty, J.-C., Coombs, S., Ben Mlih, F., Hapette, A.M. and Martin-Jezequel, M.
A biochemical investigation of a *Phaeocystis* sp. bloom in the Irish Sea 197
Coombs, S., *see* Claustre *et al.* 197
Corner, E.D.S.
See Bradshaw *et al.* 225
See Bradshaw *et al.* 771
Costello, M.J., Edwards, J. and Potts, G.W.
The diet of the two-spot goby, *Gobiusculus flavescens* (Pisces) 329
Cox, D.L., *see* Koob and Cox 395
Crisp, D.J. and Maclean, F.J.
The relation between the dimensions of the cirral net, the beat frequency and the size and age of the animal in *Balanus balanoides* and *Elminius modestus* 505
Culley, M.B., *see* Peck and Culley 67
Dauvin, J.-C. and Bellan-Santini, D.
An overview of the amphipod genus *Haploops* (Ampeliscidae) 887
Davenport, J.
Observations on the locomotion of post-larval and juvenile flying fish 311
Observations on swimming, posture and buoyancy in the giant oceanic ostracods, *Gigantocypris mulleri* and *Macrocypridina castanea* 43
Davenport, J., Holland, D.L. and East, J.
Thermal and biochemical characteristics of the lipids of the leatherback turtle *Dermochelys coriacea*: evidence of endothermy 33
See also Holland *et al.* 761
See also Tyler-Walters and Davenport 557
Debitus, C., *see* Biard *et al.* 741
Demestre, M., *see* Sabatés *et al.* 493
Denucé, J.M., *see* Paulij *et al.* 597
Diack, J.S.W., *see* Pierce *et al.* 829
East, J.
See Davenport *et al.* 33
See Holland *et al.* 761
Edwards, J., *see* Costello *et al.* 329
Eglinton, G.
See Bradshaw *et al.* 225
See Bradshaw *et al.* 771
Fenaux, R. and Youngbluth, M.J.
A new mesopelagic appendicularian, *Mesochordaeus bahamasi* gen. nov., sp. nov. 755
Fernandez, E., *see* Madariaga and Fernandez 531
Fuiman, L.A., *see* Blaxter and Fuiman 413
Furman, E.R.
Geographical variation of *Balanus improvisus* in biochemical and morphometric characters 721
Gage, J.D.
Skeletal growth bands in brittle stars: microstructure and significance as age markers 209
See also Tyler *et al.* 173

PAGE

Gaten, E., Shelton, P.M.J., Chapman, C.J. and Shanks, A.M.
Depth related variation in the structure and functioning of the compound eye of the Norway lobster *Nephrops norvegicus* 343
Gentien, P. and Arzul, G.
Exotoxin production by *Gyrodinium* cf. *aureolum* (Dinophyceae) 571
Gibbs, P.E., Bryan, G.W., Pascoe, P.L. and Burt, G.R.
Reproductive abnormalities in female *Ocenebra erinacea* (Gastropoda) resulting from tributyltin-induced imposex 639
Gibson, R.N., *see* Northcott *et al.* 815
Gili, J.M., *see* Abelló, P. *et al.* 687
Gonçalves, E.J., *see* Almada *et al.* 913
Glynn, P.J. and Pulsford, A.L.
Isolation and partial characterisation of the serum immunoglobulin of the flounder, *Platichthys flesus* 429
Gonçalves, E.J., *see* Almada *et al.* 913
Greer Walker, M., *see* Horwood and Greer Walker 803
Grivois, C., *see* Biard *et al.* 741
Guillou, M., *see* Bourgoin and Guillou 57
Halliday, N.C., *see* Lindley *et al.* 679
Hanlon, R.T., *see* Porteiro *et al.* 459
Hannen, E.J. van., *see* Paulij *et al.* 597
Hapette, A.M., *see* Claustre *et al.* 197
Harland, A.D., Bryan, G.W. and Brown, B.E.
Zinc and cadmium absorption in the symbiotic anemone *Anemonia viridis* and the non-symbiotic anemone *Actinia equina* 789
Hawkins, S.J., *see* Hill and Hawkins 77
Heffernan, P.
Ultrastructural studies of the elytra of *Pholoe minuta* (Annelida: Polychaeta) with special reference to functional morphology 545
Henderson, P.A., Seaby, R. and Marsh, S.J.
The population zoogeography of the common shrimp (*Crangon crangon*) in British waters 89
Herman, P.M.J., *see* Paulij *et al.* 597
Hill, A.S. and Hawkins, S.J.
An investigation of methods for sampling microbial films on rocky shores 77
Holland, D.L., Davenport, J. and East, J.
The fatty acid composition of the leatherback turtle *Dermochelys coriacea* L. and its jellyfish prey 761
See also Davenport *et al.* 33
Horsfall, I.M., *see* Hughes and Horsfall 143
Horwood, J.W.
Fecundity and maturity of plaice (*Pleuronectes platessa*) from Cardigan Bay 515
Horwood, J.W. and Greer Walker, M.
Determinacy of fecundity in sole (*Solea solea*) from the Bristol Channel 803
Hughes, G.M.
On different methods available for measuring the area of gill secondary lamellae of fishes 13
Hughes, R.G. and Horsfall, I.M.
Differences in the swimming behaviour of the amphipod *Corophium volutator* from different populations 143

PAGE

Hunt, H.G., *see* Lindley *et al.* 679
Janke, A., *see* Laing *et al.* 1
John, A.W.G., *see* Lindley *et al.* 679
Jonas, T.D., *see* Lindley *et al.* 679
Kearn, G.C. and Beverley-Burton, M.
Mycteronastes undulatae gen. nov., sp. nov. (Monogenea: Monocotylidae) from the nasal cavities of *Raja undulata* in the eastern Atlantic 747
See also Whittington and Kearn 21
King, P.A., McGrath, D. and Britton, W.
The use of artificial substrates in monitoring mussel (*Mytilus edulis* L.) settlement on an exposed rocky shore in the west of Ireland 371
Koob, T.J. and Cox, D.L.
Introduction and oxidation of catechols during the formation of the skate (*Raja erinacea*) egg capsule 395
Kratt, C.M., *see* Rittschof *et al.* 583
Laing, I., Child, A.R. and Janke, A.
Nutritional value of dried algae diets for larvae of Manila clam (*Tapes philippinarum*) 1
Lancaster, I.
Reproduction and life history strategy of the hermit crab *Pagurus bernhardus* 129
Lancaster, I. and Wigham, G.D.
Influences on movement and migration in the hermit crab *Pagurus bernhardus* 483
Le Cann, B., *see* Pingree and Le Cann 857
Le Tissier, M.D'A.A.
The ultrastructure of the skeleton and skeletogenic tissues of the temperate coral *Caryophyllia smithii* 295
Lima, G.M. and Lutz, R.A.
The relationship of larval shell morphology to mode of development in marine prosobranch gastropods 611
Lindley, J.A., Roskell, J., Warner, A.J., Halliday, N.C., Hunt, H.G., John, A.W.G. and Jonas, T.D.
Doliolids in the German Bight in 1989: evidence for exceptional inflow into the North Sea 679
Little, C., Morritt, D., Paterson, D.M., Stirling, P. and Williams, G.A.
Preliminary observations on factors affecting foraging activity in the limpet *Patella vulgata* .. 181
Lockwood, S.J., *see* Rogers and Lockwood 249
Lutz, R.A., *see* Lima and Lutz 611
McGrath, D., *see* King *et al.* 343
Maclean, F.J., *see* Crisp and Maclean 505
Madariaga, I. de and Fernandez, E.
Photosynthetic carbon metabolism of size-fractionated phytoplankton during an experimental bloom in marine microcosms 531
Marasovic, I., Pucher-Petkovic, T. and Petrova-Karadjova, V.
Prorocentrum minimum (Dinophyceae) in the Adriatic and Black Sea 473
Marsh, S.J., *see* Henderson *et al.* 89
Martin-Jezequel, M., *see* Claustre *et al.* 197
Martins, H.R., *see* Porteiro *et al.* 459
Marty, J.-C., *see* Claustre *et al.* 197
Metcalfe, J.D., Arnold, G.P. and Webb, P.W.
The energetics of migration by selective tidal stream transport: an analysis for plaice tracked in the southern North Sea 149

PAGE

Moore, S.J.
Investigation into the state of preservation of the E.T. Browne collection of hydromedusae 477
Morgan, E., *see* Northcott *et al.* 815
Morrisey, D.J.
Factors affecting individual body weight in field populations of the mudsnail *Hydrobia ulvae* 99
Morritt, D., *see* Little *et al.* 181
Nicolaidou, A., *see* Nott and Nicolaidou 905
Northcott, S.J., Gibson, R.N. and Morgan, E.
The persistence and modulation of endogenous circatidal rhythmicity in *Lipophrys pholis* (Teleostei) 815
Nott, J.A. and Nicolaidou, A.
Transfer of metal detoxification along marine food chains 905
O'Hara, S.C.M.
See Bradshaw *et al.* 225
See Bradshaw *et al.* 771
Oliviera, R.F. de, *see* Almada *et al.* 913
Ona, E.
Physiological factors causing natural variations in acoustic target strength of fish 107
Pascoe, P.L., *see* Gibbs *et al.* 639
Paterson, D.M., *see* Little *et al.* 181
Patterson, D.J.
Jakoba libera (Ruinen, 1938), a heterotrophic flagellate from deep oceanic sediments 381
Paulij, W.P., Herman, P.M.J., van Hannen, E.J. and Denucé, J.M.
The impact of photoperiodicity on hatching of *Loligo vulgaris* and *Loligo forbesi* 597
Peck, L.S. and Culley, M.B.
Structure and density of *Haliotis tuberculata* populations around the coasts of Jersey, Channel Isles 67
Petrova-Karadjova, V. *see* Marasovic *et al.* 473
Pierce, G.J., Boyle, P.R., Diack, J.S.W. and Clark, I.
Sandeels in the diets of seals: application of novel and conventional methods of analysis to faeces from seals in the Moray Firth area of Scotland 829
Pingree, R.D. and Le Cann, B.
Structure, strength and seasonality of the slope currents in the Bay of Biscay region 857
Porteiro, F.M., Martins, H.R. and Hanlon, R.T.
Some observations on the behaviour of adult squids, *Loligo forbesi*, in captivity 459
Potts, G.W., *see* Costello *et al.* 329
Poulet, S.A., *see* Claustre *et al.* 197
Prezant, R.S.
Shell and hinge ontogeny of the Antarctic bivalve *Lissarca notorcadensis* 841
Pucher-Petkovic, T., *see* Marasovic *et al.* 473
Pulsford, A.L., *see* Glynn and Pulsford 429
Pybus, C.
Blooms of *Prorocentrum micans* (Dinophyta) in the Galway Bay area 697
Ramón, M.
Spawning and development of *Calliostoma granulatum* in the Mediterranean Sea 321
Richardson, C.A., *see* Anwar *et al.* 441
Rittschof, D., Kratt, C.M. and Clare, A.S.
Gastropod predation sites: the role of predator and prey in chemical attraction of the hermit crab *Clibanarius vittatus* 583

PAGE

Rodhouse, P.G.
Organic content of the molluscan shell 245
Rogers, S.I. and Lockwood, S.J.
Observations on coastal fish fauna during a spring bloom of *Phaeocystis pouchetii* in the eastern Irish Sea 249
Roskell, J., *see* Lindley *et al.* 679
Rousset, J.
Catches and geographical distribution of selachians on the western coast of Brittany 255
Population structure of thornback rays *Raja clavata* and their movements in the Bay of Douarnenez 261
Sabatés, A., Demestre, M. and Sanchez, P.
Revision of the family Ammodytidae (Perciformes) in the Mediterranean with the first record of *Gymnammodytes semisquamatus* 493
Sanchez, P., *see* Sabatés *et al.* 493
Seaby, R., *see* Henderson *et al.* 89
Seed, R., *see* Anwar *et al.* 441
Shanks, A.M., *see* Gaten *et al.* 343
Shelton, P.M.J., *see* Gaten *et al.* 343
Stevens, J.D.
Further results from a tagging study of pelagic sharks in the north-east Atlantic 707
Stirling, P., *see* Little *et al.* 181
Tyler, P.A., Billett, D.S.M. and Gage, J.D.
Seasonal reproduction in the seastar *Dytaster grandis* from 4000 m in the north-east Atlantic Ocean 173
Tyler-Walters, H. and Davenport, J.
The relationship between the distribution of genetically distinct inbred lines and upper lethal temperature in *Lasaea rubra* 557
Van-Praet, M.
Gametogenesis and the reproductive cycle in the deep-sea anemone *Paracalliactis stephensoni* (Cnidaria: Actinaria) 163
Verbist, J.-F., *see* Biard *et al.* 741
Villanueva, R., *see* Abelló *et al.* 687
Warner, A.J., *see* Lindley *et al.* 679
Webb, P.W., *see* Metcalfe *et al.* 149
Whittington, I.D. and Kearn, G.C.
A comparative study of the anatomy and behaviour of the oncomiracidia of the related monogenean gill parasites *Kuhnia scombri*, *K. sprostonae* and *Grubea cochlear* from mackerel, *Scomber scombrus* 21
Wigham, G.D., *see* Lancaster and Wigham 483
Williams, G.A., *see* Little *et al.* 181
Williams, R., *see* Claustre *et al.* 171
Youngbluth, M.J., *see* Fenaux and Youngbluth 755

SUBJECT INDEX

PAGES

Behaviour
Avoidance of predation by herring larvae ... 413-427
Behaviour of *Loligo forbesi* in captivity ... 459-472
Energetics of plaice migration using tidal streams ... 149-162
Epibiosis in deep-sea crab populations ... 687-695
Foraging activity in *Patella vulgata* ... 181-195
Locomotion of post-larval and juvenile flying fish ... 311-320
Oncomiracidia of monogenean gill parasites ... 21-32
Role of predator and prey in chemical attraction of the hermit crab ... 583-596
Swimming behaviour of the amphipod, *Corophium volutator* ... 143-148
Tagging of pelagic sharks in the north-east Atlantic ... 707-720

Biochemistry
Biochemistry of a *Phaeocystis* bloom ... 197-207
Bistramide A in *Lissoclinum bistratum* ... 741-746
Carbon metabolism during a phytoplankton bloom ... 531-543
Changes in dietary lipids of *Nereis* ... 771-787
Changes in lipids during herbivorous feeding by *Neomysis integer* ... 225-243
Characteristics of the lipids of the leatherback turtle ... 33-41
Fatty acid composition of the leatherback turtle and its jellyfish prey ... 761-770
Geographical variation of *Balanus improvisus* ... 721-740
Organic content of the molluscan shell ... 245
Reproductive abnormalities in female *Ocenebra erinacea* ... 639-656
Sandeels in the diets of seals ... 829-840
Serum immunoglobulin of *Platichthys flesus* ... 429-440
Tanning of the egg capsule of *Raja erinacea* ... 395-411
Transfer of metal detoxification along food chains ... 905-912
Zinc and cadmium absorption in anemones ... 789-802

Comparative Anatomy and Functional Morphology
Cirral beat frequency with size and age in barnacles ... 505-514
Geographical variation of *Balanus improvisus* ... 721-740
Methods for measuring area of secondary lamellae of fish gills ... 13-19
Prosobranch larval shell morphology ... 611-637
Shell and hinge ontogeny of *Lissarca notorcadensis* ... 841-855
Skeletal growth bands in brittle stars ... 209-224
Ultrastructure of the elytra of *Pholoe minuta* ... 545-556

Deep-Sea
Epibiosis in deep-sea crab populations ... 687-695
Mesochordaeus bahamasi from the Bahamas ... 755-760

Development, Growth and Maturation
Cirral beat frequency with size and age in barnacles ... 505-514
Determinacy of fecundity in *Solea solea* ... 803-813
Fecundity and maturity of plaice from Cardigan Bay ... 515-529
Gametogenesis and reproductive cycle in the anemone, *Paracalliactis stephensoni* ... 163-172
Moulting and mating in *Lepeophtheirus pectoralis* ... 269-281
Photoperiodicity and hatching in squids ... 597-610
Population structure of *Modiolus modiolus* ... 441-457
Prosobranch larval shell morphology ... 611-637
Shell and hinge ontogeny of *Lissarca notorcadensis* ... 841-855

PAGES
Skeletal growth bands in brittle stars 209-224
Spawning and development of *Calliostoma granulatum* 321-328
Tanning of the egg capsule of *Raja erinacea* 395-411
Ecology and Distribution
Artificial substrates in monitoring mussel settlement 371-380
Biochemistry of a *Phaeocystis* bloom 197-207
Blooms of *Prorocentrum micans* in Galway Bay 697-705
Breeding season of *Lipophrys pholis* in Portugal 917-920
Doliolids in the German Bight 679-682
Exotoxin production by *Gyrodinium* cf. *aureolum* 571-581
Fatty acid composition of the leatherback turtle and its jellyfish prey 761-770
Fish fauna during a bloom of *Phaeocystis* 249-253
Foraging activity in *Patella vulgata* 181-195
Geographical distribution of isopods and macroalgal cover 283-293
Membranipora arborescens in the Bay of Biscay 913-916
Movement in the hermit crab, *Pagurus bernhardus* 483-491
Prorocentrum minimum blooms 473-476
Sampling methods of microbial films on rocky shores 77-88
Selachians on the western coast of Brittany 255-260
Structure and density of *Haliotis tuberculata* populations around Jersey 67-75
Tagging of pelagic sharks in the north-east Atlantic 707-720
Zoogeography of the shrimp, *Crangon crangon*, in British waters 89-97
Feeding and Nutrition
Changes in dietary lipids of *Nereis* 771-787
Changes in lipids during herbivorous feeding by *Neomysis integer* 225-243
Diet of the goby, *Gobiusculus flavescens* 329-342
Factors affecting body weight in *Hydrobia ulvae* 99-106
Nutritional value of dried algae diets for clam larvae 1-12
Oncomiracidia of monogenean gill parasites 21-32
Sandeels in the diets of seals 829-840
Genetics
Inbred lines and upper lethal temperature in *Lasaea rubra* 557-570
Locomotion, Swimming and Buoyancy
Locomotion of post-larval and juvenile flying fish 311-320
Observations on giant oceanic ostracods 43-55
Swimming behaviour of the amphipod, *Corophium volutator* 143-148
Migration and Movements
Doliolids in the German Bight 679-682
Energetics of plaice migration using tidal streams 149-162
Movement in the hermit crab, *Pagurus bernhardus* 483-491
Population structure and movements of *Raja clavata* 261-268
Tagging of pelagic sharks in the north-east Atlantic 707-720
New Species
Mesochordaeus bahamasi gen. nov., sp. nov. 756
Mycteronastes undulatae gen. nov., sp. nov. 748
Parasitology
Epibiosis in deep-sea crab populations 687-695
Mycteronastes undulatae from the nasal cavities of *Raja undulata* 747-753
Phycology
Bistramide A in *Lissoclinum bistratum* 741-746

PAGES
Blooms of *Prorocentrum micans* in Galway Bay 697-705
Exotoxin production by *Gyrodinium* cf. *aureolum* 571-581
Physical Oceanography
Slope currents in the Bay of Biscay 857-885
Physiology and Experimental Biology
Avoidance of predation by herring larvae 413-427
Endogenous circatidal rhythmicity in *Lipophrys pholis* 815-827
Energetics of plaice migration using tidal streams 149-162
Inbred lines and upper lethal temperature in *Lasaea rubra* 557-570
Methods for measuring area of secondary lamellae of fish gills 13-19
Natural variations in acoustic target strength of fish 107-127
Role of predator and prey in chemical attraction of the hermit crab 583-596
Structure and function of the compound eye of *Nephrops norvegicus* 343-355
Pollution and Toxicity
Biochemistry of a *Phaeocystis* bloom 197-207
Blooms of *Prorocentrum micans* in Galway Bay 697-705
Exotoxin production by *Gyrodinium* cf. *aureolum* 571-581
Fish fauna during a bloom of *Phaeocystis* 249-253
Prorocentrum minimum blooms 473-476
Transfer of metal detoxification along food chains 905-912
Zinc and cadmium absorption in anemones 789-802
Population Studies
Population structure of *Modiolus modiolus* 441-457
Population structure and movements of *Raja clavata* 261-268
Zoogeography of the shrimp, *Crangon crangon*, in British waters 89-97
Primary Production
Carbon metabolism during a phytoplankton bloom 531-543
Model of light and primary production in an atoll lagoon 357-369
Reproduction and Life History
Breeding season of *Lipophrys pholis* in Portugal 917-920
Determinacy of fecundity in *Solea solea* 803-813
Fecundity and maturity of plaice from Cardigan Bay 515-529
Gametogenesis and reproductive cycle in the anemone, *Paracalliactis stephensoni* 163-172
Moulting and mating in *Lepeophtheirus pectoralis* 269-281
Reproductive abnormalities in female *Ocenebra erinacea* 639-656
Reproductive strategy of the hermit crab, *Pagurus bernhardus* 129-142
Seasonal reproduction in the seastar, *Dytaster grandis* 173-180
Spawning and development of *Calliostoma granulatum* 321-328
Variations in reproductive cycle with environment in an ophiuroid, *Acrocnida brachiata* 57-66
Rhythmicity
Endogenous circatidal rhythmicity in *Lipophrys pholis* 815-827
Structure and Histology
Heterotrophic flagellate, *Jakoba libera*, from deep ocean sediments 381-393
Membranipora arborescens in the Bay of Biscay 913-916
Moulting and mating in *Lepeophtheirus pectoralis* 269-281
Reproductive abnormalities in female *Ocenebra erinacea* 639-656
Ultrastructure of the elytra of *Pholoe minuta* 545-556
Ultrastructure of the skeleton in the temperate coral, *Caryophyllia smithii* 295-310

PAGES

Taxonomy

Heterotrophic flagellate, *Jakoba libera*, from deep ocean sediments 381-393
Membranipora arborescens in the Bay of Biscay 913-916
Overview of the amphipod genus, *Haploops* 887-903
Prorocentrum minimum blooms 473-476
Revision of the family Ammodytidae (Perciformes) 493-504
State of preservation of hydromedusae in the E.T. Browne collection 477-480

Techniques and Methodology

Artificial substrates in monitoring mussel settlement 371-380
Methods for measuring area of secondary lamellae of fish gills 13-19
Population structure of *Modiolus modiolus* 441-457
Sampling methods of microbial films on rocky shores 77-88
State of preservation of hydromedusae in the E.T. Browne collection 477-480

Temperature Regulation

Characteristics of the lipids of the leatherback turtle 33-41